


UNRIVALED

Product Selection
Thermal Performance
Structural Performance
Design
Quality
Service
Support



Product Focus

Window Choices

- **Vinyl Windows and Doors**

New Construction Model 5100

Replacement Models 5000, 5200, 6800

Styles: Double Hung, Single Hung, Horizontal Slider, Casement, Awning, 3 Different Picture Windows, Basement/Hopper, Architectural Shapes, Bow Bay, Gliding Patio Door

- **CompositWood™ Windows and Doors**

Replacement Model 9800, 9900

Styles: Double Hung, Slider, Casement, Awning, 3 Different Picture Windows, Architectural Shapes, Bow Bay

- **CompositWood™ Architectural Series Windows 4 9/16 Jamb**

New Construction Model 9400

Styles: Double Hung, Casement, Awning, Slider, 3 Different Picture Windows, Architectural Shapes, Gliding, Swing & French Doors.



Many of our windows have been designated ENERGY STAR's Most Efficient of 2020.



Product Lines

Vinyl

Our Manufacturer's Goals

Building Windows with:


- 1. Structural Integrity*
- 2. Thermal Efficiency*
- 3. Aesthetically Pleasing Design*



Model 5000 Vinyl
Replacement Window



Model 5100 Vinyl
New Construction Window



Model 5200 Vinyl
Replacement Window



Product Focus - Vinyl

The following are excerpts from the August-September, 2017 issue of "Door & Window Market Magazine."

Next-Generation Fenestration is Here

New Technology Delivers Near-Zero Sight Lines, Extreme Efficiency

"Maximum glass area, minimal frame lines and high thermal values are the dominant door and window design trends today and in the future."

"Architects are increasingly seeking to bring the light and warmth of the outdoors into buildings and homes via doors and windows that optimize the visual experience with a strong priority for energy efficiency and year-round comfort."

We are 2 years ahead of the curve!

Light Lift™ SP Balance System

All Double Hung & Single Hung Windows

LIGHT-LIFT™ SP (Superior Performance)

New 3rd Generation Double Hung Window Sash Balance System

- Smooth and silent operation - sashes raise & lower with ease
- Enables full egress without limiting sash travel
- Interlocking pivot bar provides a higher structural performance rating
- Tilts in for easy cleaning. Lifts out for easy sash removal
- High quality stainless steel coils won't rot and last a lifetime
- The same high quality coils are used in the aerospace and military industries for counter-balance on Mars Rover Curiosity, missiles, tanks and submarines



"You've got to lift it to believe it!"




Energy Performance

Our Duralite Spacer System

insulates the edge of glass better than a solid foam or metal spacer. It is hollow, trapping air for maximum thermal performance. The patented air pocket design creates the lowest U-value available.

Our windows have been designated as “Envirosealed” windows through the use of the Duralite Spacer System technology which saves energy, saves money and helps to save the environment.



enviro  sealed
w i n d o w s

Model

5000

Vinyl – Entry Level

Model 5000 vinyl window is a great performer at an entry level price.




Model 5000 Double Hung Features:

- Fully welded frame & sash
- Light Lift™ SP Sash Balance System
- Duralite™ warm edge insulated glass spacer system
- Full lift handle
- True sloped sill
- 3/4" insulated glass
- Optional Low E/Argon gas
- Optional grids between glass
- Exterior glazed
- White
- Beveled exterior profile
- Custom Sizes
- Half screen standard; optional full screen
- 3 1/4" jamb
- Replacement only



Window Styles

Double Hung
Single Hung
Single Slider
3-Lite Slider
Picture Windows
Architectural Shapes



Whole Window NFRC* Certified Dual Energy Saver Glass Packages

	U-Factor:	SHGC:
DOUBLE HUNG Low E + clear; argon	.27	.30
Energy Saver IS - Low E + Low E inside surface; argon	.24	.29
HeatGuard 362- Low E 362 + clear; argon	.27	.22



Model

5
1
0
0

Vinyl New Construction



Model 5100 New Construction Vinyl Windows feature state-of-the-art materials and precision manufacturing details to create added value and a beautiful appearance.

Model 5100 Single & Double Hung Features:

- New Light Lift™ SP Sash Balance System
- Full lift handle & true sloped sill
- 3/4" insulated glass with Duralite™ warm insulated glass spacer
- Optional Low E/Argon gas
- Night latches (Double Hung only)
- Beautiful brickmold design exterior profile
- Optional PG-50 (Performance Grade)
- Balance Covers (Double Hung only)

Window Styles

Single Hung
Double Hung
Single Slider
2-Sash Slider
3-Lite Slider
3-Sash Slider
Picture Windows
Bow & Bay
Architectural Shapes



Frame Accessory Options:



2¼" Large
Brickmold



3½" Large
Flat Casing



Bull Nose Sill
Trim



½" Dry Wall
Return




Continuous
Head & Sill



Extension Jambs
4 9/16", 6 9/16" and
custom

Whole Window NFRC* Certified Dual Energy Saver Glass Package

	U-Factor:	SHGC:
Double Hung/Slider Low E + clear; argon	.27	.30
Energy Saver IS - Low E + Low E inside surface; argon	.24	.29
HeatGuard 362 Pack Low E 362 + clear; argon	.27	.22



Model

5
2
0
0

Vinyl – Mid Level



Model 5200 vinyl replacement windows are made with the highest quality 100% made in America components and meet the highest standards in the marketplace, assuring your windows will be energy efficient, maintenance free, easy to operate and look beautiful.

Features:

- Fully welded frame & sash
- Multi-chambered profiles
- Light Lift™ SP Sash Balance System
- Duralite™ warm edge insulated glass spacer system
- Optimally insulated glass
- Exterior glazed sash
- True sloped sill
- Jamb foam & tilt in sashed (DH only)
- Balance covers (Double Hung only)
- Full lift handle
- 3/4" insulated glass
- Optional Low E/Argon gas
- Optional grids between glass
- Beveled exterior profile
- Custom Sizes
- Half screen standard; optional full screen
- 3 1/4" jamb
- Replacement only



Window Styles


Double Hung
2-Sash Slider
3-Sash Slider
Picture Windows
Hopper
Hopper w/Dryer Vent
Bow & Bay
Architectural Shapes



Whole Window NFRC* Certified Dual Energy Saver Glass Package



	U-Factor:	SHGC:
Double Hung/Slider Low E + clear; argon	.27	.30
Energy Saver IS - Low E + Low E inside surface; argon	.24	.29
HeatGuard 362 Pack Low E 362 + clear; argon	.27	.22



Model

6
8
0
0

Product Lines

Premium Vinyl – The Window That Has It All



InVision Model 6800 Vinyl Replacement/New Construction Window

Premium Vinyl

Remarkable beauty, exceptional performance and distinctive design of the New Construction & Replacement **Model 6800** window leads the way in energy efficient vinyl windows. World class engineering and advanced material science creates a new window standard for performance, economy strength and efficiency.



DOUBLE HUNG Features

- Both sashes open & close; tilt and lift out for easy cleaning.
- Hybrid true slope sill design for improved water management allowing for high volume water run off and enhanced by a projected drip edge.
- Light Lift® SP Sash Balance System for easy opening and closing.
- Night latch restrictors for ventilation.
- Recessed tilt latch design for smooth and even sash finish.
- Strong, attractive, easy operating and high performance lock.
- Exceptionally low air infiltration of .05 cubic feet per minute (cfm/ft2) for energy savings with minimal effort to open and close.

Frame Accessory Options:



2¼" Large
Brickmold



3½" Large
Flat Casing



Bull Nose Sill
Trim



½" Dry Wall
Return



Continuous
Head & Sill




Extension Jambs Std. 4 9/16",
6 9/16" or custom

Window Styles

Double Hung
2-Sash Slider
3-Lite Slider
Casement Awning
Picture Window
Hopper
Hopper w/Dryer Vent
Bow & Bay
Architectural Shapes

FlexScreen Standard on
Casement and Awning
windows.




Premium Vinyl - State of the Art Window Design

Model

6
8
0
0

Remarkable beauty, exceptional performance and distinctive design of the new **Model 6800** window leads the way in energy efficient vinyl windows. World class engineering and advanced material science creates a new window standard for performance, economy, strength and efficiency.



Premium Vinyl

A New Generation of Vinyl Windows




- **Up to 14% more glass and light** than many traditional wood and vinyl windows.
- **Over 20% more vinyl** by weight than many typical vinyl double hung windows.
- **Extreme energy efficiency.**
- **Minimal air infiltration** - saves energy and keeps home comfortable.
Up to 15 times less air leakage than ENERGY STAR qualification.
- **Obsoletes the questionable practice of foam filling** through the strategic placement of numerous internal vinyl walls, creating multiple insulating air chambers, plus the benefit of additional window strength.
- **Obsoletes costly krypton gas** in the airspaces of triple glass units. The use of plentiful argon gas results in equal or better thermal performance due to InVision's superior window engineering technology
- **Stunning appearance** from both inside and outside the home.
- **Four interior laminate woodgrains available.**
- **Unlimited exterior paint colors.**

More Glass + More Light + More Air = More Window!

The Model 6800 has a narrow design for more glass, ventilation and light. The jamb and sash projections are uniquely expanded slightly toward the exterior which provide extreme thermal and structural integrity.

Model 6800



Traditional Windows



Extreme Structural Strength

The **Model 6800 double hung** meets an "out-of-the-box" PG-55 rating at wind/rain speed of 148 mph. The standard modified thermal reinforcement in the keeper rail achieves a Commercial Rating of C-55 on a 48" x 80", and a Commercial Rating of C-35 was earned on a massive 56" x 91" double hung window size.

Premium Vinyl

Model 6400 Vinyl Patio Door

Create an inviting entry to your home's patio, deck or courtyard with our beautiful 6400 vinyl sliding patio doors. These attractive doors offer easy upkeep, excellent energy efficiency and the high level of quality you expect from WeatherBuster. Now you have more choices than ever with sizes and options to add just the right touch to your home. So whether you are entertaining, grilling for your family or just relaxing after a long day, a sliding patio door will make your home feel bigger, brighter and more comfortable.




6400 Patio Door Features:

- Uniform Panels, Equal Glass Size
- Fully Welded Frame and Sash
- Multi-Point Hardware Lockset
- Deluxe Handle Set
- Extruded Screen with Auto-Latch
- 2, 3, and 4 sections available
- Precision Bearing Rollers
- Keylock
- Duralite® Glass Spacer

6400 Patio Door Options:

- Footlock
- Extension Jambs
- Flat Colonial, Contour Colonial, Polished Brass Colonial Grids or Simulated Divided Lites
- Custom paint colors available
- Hardware Colors: White, Adobe, Brushed Nickel, Brushed Brass



Premium Vinyl

6800 Glass Packages – Extreme Energy Savings

Whole Window NFRC Certified Dual Energy Saver Glass Package

Nominal 3/4"

	U-Factor	SHGC
Double Hung & Slider - <i>Low E + clear; argon</i>	.26	.30
With Energy Saver IS - <i>Low E + Low E inside surface; argon</i>	.23	.28
Dual HeatGuard 362 <i>Low E 362 + clear; argon</i>	.26	.21



Don't be fooled by companies that promote center-of-glass U-Factors. Accept ONLY NFRC certified Whole Window U-Factors.

Whole Window NFRC Certified Triple Glazed Glass Package


Nominal 1 1/4"

	U-Factor	SHGC
Triple Fuel Saver U-Factor:		
Double Hung & Slider - <i>Low E + Low E + clear; argon + argon</i>	.16	.24

U-Factors as low as .13 based on window style selected. Up to 54% better than ENERGY STAR Most Efficient qualification.



Model 6800 U-Factor:
Casement & Awning - **.25**
With Energy Saver IS - **.21**
With Triple Fuel Saver - .15



Premium Vinyl Laminate Finishes Model 6800

Stock Solid Interior and Exterior Color



White



Clay

4 Stock Interior Laminate Woodgrains*



Winchester Light Oak-211



Natural Cherry-209



Cherry-274




Dark Oak-273

No matter what the design calls for, our lamination technology provides today's richest exterior colors and stunning natural woodgrain details to create the perfect interior or exterior solution.

A custom crafted way to add color and style to windows and doors throughout your home or building, homeowners and architects can add architectural detail and interior design flair with the use of laminates.

In addition to superior heat reflection, color retention and interior appeal, laminates provide excellent weather resistance, making them ideal for coastal regions.

** Due to printing limitations, all colors and finishes shown are approximate.*



Model

9

8

0

0

Model

9


4

0

0

Product Lines

Ultra Premium – CompositWood®




Model 9800 CompositWood®
Replacement Window – 3 ¼" Jamb

Model 9400 CompositWood®
New Construction Window
4 9/16" Jamb

Model 9400 CompositWood®
4 9/16" Jamb Patio
& Swing Doors

CompositWood®
BY INTERSTATE



Low Maintenance

- CompositWood windows do not require paint or stain and can be easily cleaned with mild soap and water
- The durable finish will never absorb moisture, is not susceptible to any corrosion and requires very little maintenance.

Impervious to Salt Air

- CompositWood is made from a blend of PVC and acrylic resins.
- Since salt is a key ingredient for PVC, CompositWood is impervious to salt air making it an excellent material for coastal applications.

Not Susceptible to Insect Attack

- CompositWood does not contain wood or other materials that would be a host for insect attack.
- It is impervious to attack by termites and all other insects.



Condensation Resistance

- CompositWood is a poor conductor of heat and cold and, therefore, a better insulator
- Its low K-value helps reduce condensation and the potential for harmful mold and mildew.
- It remains warm to the touch in cold climates.

Historical Application

- For replacement projects of all kinds, including historic renovations, look no further for uncompromising aesthetics and performance.



Environmentally Friendly

- CompositWood's excellent thermal properties help save energy and exceed ENERGY STAR Requirements. CompositWood is recyclable.
- CompositWood does not need paints, solvents, stains or other harsh chemicals for care and maintenance.
- CompositWood is made from plentiful materials that are sparing of natural resources.
- CompositWood is very durable with a long service life and low Life-Cycle cost

Rot & Fungus Proof

- CompositWood cannot absorb water or moisture and will never rot.
- CompositWood does not contain wood and is therefore not a host for mold or mildew.



A new distinction that recognizes products that deliver cutting edge energy efficiency along with the latest technological innovation. It is an award that truly represents the **very best of ENERGY STAR**. Many CompositWood windows with Triple Fuel Saver and Triple Fuel Saver Plus glass earn the coveted ENERGY STAR Most Efficient mark for 2020.



Rotting Wood Window

Glass Packages – Incredible Thermal Values

Model

9

8

0

0



Standard Dual Energy Saver

Double Pane: Low E + Clear; Argon

U-factor:

.25 - Double Hung, Slider

.23 - Casement, Awning

21. - Double Hung w/Dual Energy Saver IS

22. - Slider w/Dual Energy Saver IS

.20 - Casement, Awning w/Dual Energy Saver IS

CompositWood®
BY INTERSTATE

.25 - Direct Set Picture Window

.21 - Direct Set Picture Window
w/ Dual Energy Saver IS

Model

9

4

0

0



Triple Fuel Saver™

Triple Pane: Low E + Low E + Clear; Argon + Argon

U-factor:

.19 - Double Hung, Slider

.18 - Casement, Awning

.17 - Direct Set Picture Window



Triple Fuel Saver™ Plus & MAX

Triple fuel Saver Plus

Triple Pane: Low E + Low E
+ Clear; Argon + Argon + Krypton

U-factor:

.17 - Double Hung, Slider

.16 - Casement, Awning

.15 - Direct Set Picture Window

Triple Fuel Saver MAX

Triple Pane: Low E + Low E + Clear;
Krypton + Krypton

U-factor:

.16 - Double Hung

.15 - Slider

.14 - Casement, Awning

.13 - Direct Set Picture Window

*Krypton Gas Fill in triple Fuel Saver MAX

Model

9

8

0

0

CompositWood®
BY INTERSTATE

SuperCap^{SR} Color Technology

- Co-extruded, thermally-fused acrylic color layer for superior durability compared to painted surfaces.
- Patent-pending low heat-absorbing technology to maintain profile dimensional integrity.

SuperCap^{SR} Color

- Proven with over 3 years of outdoor exposure in Florida, Arizona, Kentucky to exceed AAMA 613 color retention standards



White

Real Wood Interior

- Available with optional real wood paintable and stainable interior.
- Wood species:
Eastern Pine




Model

9

4

0

0



CompositWood®

BY INTERSTATE



Double Hung



Picture Window
Double Hung
Sash Insert



Picture Window
Direct Set
Stand Alone
PW




Casement



Awning



Fixed Casement
Picture Window



Also available:
2 & 3 Lite Sliders
Bows
Bays
Special Shapes
Rolling Patio & Swing Doors

Model

9800

Model

9400


Accessory Profiles – Architectural

Model 9400 4 9/16" Jamb New Construction Trims

Model

9
4
0
0

CompositWood®
BY INTERSTATE



A wide variety of accessories and trim profiles are available with SnapFit™ application.



Extension Jamb and Standard Sill Nose



Standard Sill Nose and 3 1/2" Flat Casing



Standard Sill Nose and Brickmold

Sliding Patio & Swing Door

Create an inviting entry to your home's patio or deck with the beautiful craftsmanship of our CompositWood® Architectural Series Rolling Patio doors and Swing doors.

Sliding Patio Door Standard Features:

- Deluxe handset with keylock
- Two-Point stainless steel locking mechanism
- Extruded heavy duty aluminum rolling screen with recessed auto lock
- Precision bearing stainless steel rollers and stainless steel door latch
- Composite/aluminum sill with full thermal break
- 4 9/16" jamb
- Folding factory applied nail fin
- Low E glass/argon gas
- Limited Lifetime Warranty



Swing Door Standard Features:

- Multi point locking system
- North American designed dead bolt configuration with 90 degree thumb turn
- Composite/aluminum sill with full thermal break
- 4 9/16" jamb
- Folding factory applied nail fin
- Low E glass/argon gas
- Limited Lifetime Warranty




Options:

- 6 9/16" or custom sized extension jambs
- Plated metal hardware: brushed nickel or brushed brass
- Triple glazing
- Three-Point stainless steel locking mechanism with 36" coverage
- Exterior paint colors
- Grids: flat, contoured or SDLs (Simulated Divided Lites)
- Sidelites/transoms

Frame Accessories:

- Traditional 1" decorative curbing
- 3 1/2" flat casing
- Brickmold
- Extension Jamb



Energy Performance

At our state-of-the-art insulated glass facility we manufacture some of the most energy-efficient insulated glass units on the market today. Having our own glass plant gives us the advantage of producing our windows quickly, but also gives us the ability to adapt our product to incorporate the latest technology available.

Using our exclusive multi-step **InDuraCLEAN** process, we take every precaution to make sure that each Insulated glass unit is manufactured and assembled with the utmost quality in mind.



InDuraClean Water Filtration System

InDuraClean Water Filtration System:

- Sophisticated multistage water purification system eliminates over 90% of tiny particles assuring sparkling clean glass units.
- De-Ionized water is subjected to ultraviolet lighting to kill bacteria.
- Exceptionally clean glass, minimal detergent use, and glass panes that aggressively adhere to the DuraLite spacer for the very best insulated glass seal.
- Minimal water usage to conserve natural resources.



InDuraClean Washing System




Energy Performance

Our manufacturer assembles the insulated glass units in a climate controlled, pressurized “clean room” to prevent contamination of the glass surfaces, providing the best quality insulated glass seal possible.

InDuraClean Glass Sealing Clean Room:

- Air entering the clean room is filtered to remove dust and other pollutants, keeping the washed glass exceptionally clean.
- Technicians wear specialized clothing, including gloves and surgical masks, to prevent contamination of the insulated glass units.
- Positive pressurization forces filtered air from the clean room, eliminating potentially dusty regular plant air from entering.
- Climate controlled for optimal air temperature application of DuraLite insulating glass spacer while keeping technicians cool and comfortable.
- Air is dehumidified to assure the perfect humidity levels, providing the best insulated glass seal possible.



The Clean Room

Temperature of 70 degrees and 35% humidity levels –
Maintained all year round!



Hardware Options

Our windows come with the industry's strongest, most attractive and easiest operating hardware systems which have been developed to work together to meet or exceed industry performance standards.

CompositWood®
BY INTERSTATE

Model

5000 Vinyl Double Hung Locks

5100 White, low profile

5200



Model

9400

9800

Double Hung Cam Locks



White



Bronze



Adobe



Brushed
Brass



Brushed
Nickel

Casement Cranks



White



Bronze



Brushed Nickel




Brushed Brass

Casement/Awning Locks



Double Hung Applied Lift Handle



Hardware Options

Vinyl

Our windows come with the industry's strongest, most attractive and easiest operating hardware systems which have been developed to work together to meet or exceed industry performance standards.

Model
6800

6800 Double Hung Standard Locks



White



Clay



Bronze

Casement/Awning Locks



Casement Cranks



White



Clay



Bronze

6800 Double Hung Optional Robo-Sync Locks



White



Clay



Bronze



Brushed
Brass



Brushed
Nickel

Casement Cranks



Robo-Sync Technology eliminates the need for tilt latches on your visible sash and allows for a sleek, clean look. Customers can now easily lock, unlock, and retract Tilt Latches with one control point. Optional on our Model 6800 Vinyl Window.



Casement/Awning Locks



** Due to printing limitations, all colors and finishes shown are approximate.*

Grid Options

Vinyl & CompositWood


Internal grids will give your windows the look and feel of true divided lite windows without the hassle. Because they're between glass panes, these grids never require cleaning. Our beautiful grids are available in both contoured or flat design. We also offer Simulated Divided Lites (SDLs) which are permanently adhered to the glass panes inside and out and are designed to look like a true multi-paned window.

Model

5000

5100

5200



Flat Contour

Grids Between Glass

Model

6800



Flat Contour

SDL

Grids Between Glass

Simulated Divided Lites

Model

9400

9800




Flat Contour

SDL


Grids Between Glass

Simulated Divided Lites

Grids Between Glass



Simulated Divided Lites



- Flat Grids

- White (Models 5000/5200/6800/9400/9800)
- Clay (Models 6800/9400/9800)
- Bronze Exterior/White Interior (Models 6800/9400/9800)
- Custom Painted (Models 6800/9400/9800)

- Contoured Grids

- White (Models 5000/5200/6800/9400/9800)
- Clay (Models 6800/9400/9800)
- Bronze Exterior/White Interior (Models 6800/9400/9800)
- White Exterior/Woodgrain Laminate Interior (Model 6800)

- SDLs (Simulated Divided Lites)

- White (exterior & interior) (Models 6800/9400/9800)
- Clay exterior/White interior (Models 6800/9400/9800)
- Bronze exterior/White interior (Models 6800/9400/9800)
- White exterior/Woodgrain Laminate Interior (Model 6800)
- Removable Grids with Frame Surround, interior mounted (Models 6800/9400/9800)
- Custom Painted (Models 6800/9400/9800)

* Only Flat and exterior Simulated Divided Lites can be custom painted.

Color Options – All Products

InDura-BOND is our factory applied, specialized exterior color coating guaranteed, under normal conditions, for a period of 15 years, against weathering, peeling or blistering on the applied surface.

It is also guaranteed for a period of 15 years against significant ultraviolet discoloration (greater than 6 delta e units) caused by natural environmental atmospheric conditions.

Unlimited Exterior Colors to choose from:

1. 13 - in-stock factory painted colors
2. Over 30 special order colors
3. Virtually unlimited custom-matched colors



13 – In Stock Exterior Colors

- ADOBE
- BLACK
- BRICK RED
- BROWN
- BRONZE
- CLAY
- CRANBERRY
- CREAM
- EARTHTONE
- GRAY
- GREEN
- WEDGEWOOD BLUE
- WHITE

All
Window
Models

We paint lineals, not “boxes”
for superior paint appearance.



UNRIVALED

VINYL:

- All Systems Engineered within the Past 2 years
- Newest, Most Innovative Vinyl Window systems on the market, well ahead of the curve
- Midrange Line at Entry Level Price, replacement and new construction
- Premium Vinyl Window System, replacement and new construction
- 4 Interior Woodgrain Laminates In Stock
- Unsurpassed Thermal Values
- Model 6800 Obsoletes Foam Filling and Krypton Gas
- Outstanding Structural Strength
- Industry Leading Thermal Reinforcements
- Extensive Product Selection
- Customized, Private Label Window Program Available




UNRIVALED

- **CompositWood:**

- Unique Product Market Niche
- True Wood Window Appearance
- Competes against and beats Major Wood Lines
- Historical Applications
- 3 ¼" Jamb dedicated Replacement System
- 4 9/16" Jamb dedicated New Construction System
- Unsurpassed Thermal Values
- Excellent Structural Strength
- Sliding and Swing Doors

CompositWood®
BY INTERSTATE



UNRIVALED

Vinyl & CompositWood:

- Exterior & Interior Trim Accessories, for new construction applications
- Dura-Lite Insulated Glass System
- Unlimited Exterior Paint Colors
- Plated Lock Colors
- Light Lift™ SP Balance System
- Grids: Flat, Contour, Simulated Divided Lites, Check Rail, Custom Designs
- Outstanding Quality & Service: *QC starts on the receiving Dock. InDura Clean IG Process. FlexScreen standard on Double Hung, Single Hung, Casement/Awning, We paint lineal not boxes. Dedicated Sales Manager State of the art processing equipment. Multiple generations of employees and customers.*
- 82nd year in Business
- Manufacturing Plant Specifically Constructed and Designed to Build Windows & Doors
- Weekly Delivery
- Dedicated Commercial Department
- Commercial Aluminum Capabilities



Thank You for Choosing WeatherBuster



We are 100% committed to providing

UNRIVALED

product selection, quality,
innovation, thermal & structural
performance, service and support

NOW AND IN THE FUTURE!

